

# The entire world of floor and carpet cleaning COMPETENCE IN CLEANING



# The big WEIDNER-programme for cleaning & cleanliness

Introducing the big WEIDNER catalogue with the complete product range for both cleaning and cleanliness. Arguments, promising the increasing success of our products.

#### Quality to the last detail!

Since 1918 the trademark WEIDNER is well-known for high quality and solid reliability. »Satisfied customers ensure tomorrow's success! « Constant checking of materials and strict production controls ensure the high quality standard.

#### The most up-to-date technology!

Our customers expect products which are distinguished by exceptional application features, which confirm our endeavours for technical advance. Comfortable handling, safety functions and the economical running costs are the distinctive features of the WEIDNER technology.

#### Safety!

WEIDNER products comply, of course, with international safety regulations. The safety tests in the electrical and mechanical areas are carried out by German and foreign institutes. These tests confirm the measurement taken by us for the safety of our products during daily use.

#### **Ergonomics!**

The human stands in the center when it comes to the development and construction of modern machines and tools. In the interests of health and for the prevention of unnecessary burdens, the discoveries of modern work medicine are considered in the product design.

#### **Environmental awareness!**

With WEIDNER not only the effective economy of our products counts, we also endeavour to reduce the burden to a minimum. Measurement of noise are reduced, usage of recyclable raw materials where possible, effective lowest energy consumption at a high degree, the usage of biodegradable cleaning agents and water and energy methods etc., are put in to practice.

#### Specialist consultancy!

The innovation of the WEIDNER product is to suit our customers requirements and necessity. Our customers receive a quality product that is tailored for their individual demands. Many factors must be considered during a good consultation; will the product be used in the private or in the trade area? Which accessories are suitable for the purpose? Is the appliance subjected to extensive use, i.e. professional cleaning companies? The professional advice from our specialists protects against wrong decisions and therefore prevents difficulty.

#### Service!

A fast and reliable service is obligatory for us. The most important serviceable parts are stocked and are usually available to you on site within 24 to 48 hours. The WEIDNER service technicians are carefully trained. This way repairs are carried out with the utmost efficiency and cost effectiveness.

If you have further questions do not hesitate to avail of the advisory service of our distribution partner or the advisory service of our factory.

We will demonstrate our products on request.











WEIDNER has the complete programme for cleaning and cleanliness.
The individual product families are illustrated and described on the following pages.







HIGH-PERFORMANCE:
Battery/petrol engine/electric motor
Powerful and long-lasting energy storage for sufficient power for all cleaning tasks.



#### **MAINTAINANCE FRIENDLY:**

Good accessibility to all components warrants an easy exchange of the brushes and other parts.



#### **ROBUST:**

Our equipement are robust and solid due to high-quality manufacturing and the use of best materials.



#### **EFFICIENT:**

The compact design and an optimal drive or suction unit make the device from WEIDNER efficient, powerful and variable applicables.



#### **USER FRIENDLY:**

Well thougt-out ergonomics warrant the best operation comfort on all machines.

#### CONTENT

Floor Scrubbers and Accessories	Page	04–13
Sweeping Vacs and Accessories	Page	14-21
Sprayextraction Vacs and Accessories Industrial Vacuum Cleaners	Page	22–23
Special Vacuum Cleaners and Accessories	Page	24-45
Single Disc Machines and Accessories	Page	46-47

To give a better overview, the product ranges have been arranged in 3 groups:

- Recommended for semi professional use
- Products for business and industrial applications
- Products for daily, industrial cleaning applications

### **COMET 3-32 E**

For small areas — optimum cleaned



#### **USER FRIENDLY**

- Operating handle, folding upwards
   Light weight
   Compact dimensions

- Easy accessible fresh and dirt water tank




#### **EFFICIENT**

• Main brush adapts itself to the height of the floor



#### **ROBUST**

• Compact robust design



Model		COMET 3-32 E
Order-No.		BS3 032000 E
Working width	[mm]	280/320
Max. working capacity	[m²/h]	800
Fresh water tank	[l]	3
Dirt water tank	[l]	8
Operating voltage	[Volt]	230
Brush motor power	[W]	200
Under pressure/vac motor	[mm H <sup>2</sup> 0]/[W]	1428/800
Rotation/brush pressure	[r/min]/[kg]	1000/7
Measurement lxwxh	[mm]	340x320x1130
Weight	[kg]	13
Apply recommendation		•





### **COMET 2-36 B/E**

For small areas — fast and efficient



#### **USER FRIENDLY**

Lowerable operating panel



#### **MAINTENANCE FRIENDLY**

- Changing of the brush tool-free
- Changing of the squeegee tool-free
- Easy access to all components



#### ROBUST

 Tanks and machine body out of robust polyurethan




#### **HIGH-PERFORMANCE**

 High quality vacuum motor with high vacuum power



- Automatic water stop system
- Automatic delayed brush stop











# **COMET 2-45 B/E**

For medium areas — great in cleaning



#### **USER FRIENDLY**

- Clear and easy
- Drain hose for easy drainage of the dirt water



#### **MAINTENANCE FRIENDLY**

- Changing of the brush tool-free
- Changing of the squeegee tool-free
   Easy access to all components



• Tanks and machine body out of robust polyurethan



#### **HIGH-PERFORMANCE**

• High quality vacuum motor with high vacuum power



- Automatic water stop systemAutomatic time delayed brush stop
- Squeegee can be used four-sided





Model		COMET 2-45 B	COMET 2-45 E
Order-No.		BS2 45000 B	BS2 45000 E
Working width	[mm]	450/800	450/800
Max. working capacity	[m²/h]	1400	1400
Fresh water tank	[l]	45	45
Dirt water tank	[l]	60	60
Operating voltage	[Volt]	24	230
Brush motor power	[W]	250	550
Under pressure/vac motor	[mm H <sup>2</sup> O]/[W]	1280/480	1700/1000
Rotation/brush pressure	[r/min]/[kg]	150/18	150/18
Measurement lxwxh	[mm]	1160x460x980	1160x460x980
Weight	[kg]	80	85
Apply recommendation			



### **COMET 2-45/50 BT**

For medium areas — great in cleaning



#### **USER FRIENDLY**

- Clear and easy Drain hose for easy drainage of of the dirt water



#### **MAINTENANCE FRIENDLY**

- Changing of the brush tool-free
- Changing of the squeegee tool-free
   Easy access to all components



• Tanks and machine body out of robust polyurethan



#### **HIGH-PERFORMANCE**

• High quality vacuum motor with high vacuum power



- Automatic water stop systemAutomatic time delayed brush stop
- Squeegee can be used four-sided



Model		COMET 2-45 BT	COMET 2-50 BT
Order-No.		BS2 04500 BT	BS2 05000 BT
Working width	[mm]	450/800	500/800
Max. speed./working capacity	$[km/h]/[m^2/h]$	4,5/1800	4,5/2000
Fresh water tank	[l]	67	67
Dirt water tank	[l]	77	77
Operating voltage	[Volt]	24	24
Brush motor power	[W]	600	600
Under pressure/vacuum	[mm H <sup>2</sup> O] / [W]	1280/480	1280/480
Rotation/brush pressure	[r/min]/[kg]	150/35	150/35
Detergent dosing		mech./magnet valve	mech./magnet valve
Measurement lxwxh	[mm]	1320x560x1020	1320x560x1020
Weight (without batteries)	[kg]	94	97
Apply recommendation			



### COMET 2-55 B

#### For larger areas — with high demand



#### **USER FRIENDLY**

- Clear and easy
- Drain hose for easy drainage of the dirt water



#### **MAINTENANCE FRIENDLY**

- Changing of the brush tool-free
- Changing of the squeegee tool-free
- Easy access to all components



#### ROBUST

 Tanks and machine body out of robust polyurethan



#### **HIGH-PERFORMANCE**

- High quality vacuum motor with high vacuum power
- Infinitely traction drive




- Automatic water Stop system
- Automatic time delayed brush stop
- Squeegee can be used four-sided











### **COMET 1-70 B**

#### For larger areas — with high demand



#### **USER FRIENDLY**

- Clear and easy
- Drain hose for easy drainage of the dirt water



#### **MAINTENANCE FRIENDLY**

- Changing of the brush tool-free
- Changing of the squeegee tool-free
   Easy access to all components



• Tanks and machine body out of robust polyurethan



#### **HIGH-PERFORMANCE**

- High quality vacuum motor with high vacuum power
- Infinitely traction drive



#### **VERY EFFICIENT**

- Automatic water stop systemAutomatic time delayed brush stop
- Squeegee can be used four-sided



Model		COMET 1-70 B
Order-No.		BS1 070000 B
Working width	[mm]	700/900
Max. speed./working capacity	$[km/h]/[m^2/h]$	5,7/3000
Fresh water tank	[1]	88
Dirt water tank	[1]	91
Operating voltage	[Volt]	24
Brush motor power	[W]	1000
Under pressure/vacuum	[mm H <sup>2</sup> O] / [W]	1733/550
Rotation/brush pressure	[r/min]/[kg]	150/43,5
Detergent dosing		mech./magnet valve
Measurement lxwxh	[mm]	1330x730x1170
Weight (without batteries)	[kg]	153
Apply recommendation	-	





### **COMET 1-75 B**

For large areas — simply professional



#### **USER FRIENDLY**

- Clear and easy
- Drain hose for easy drainage of the dirt water



#### **MAINTENANCE FRIENDLY**

- Changing of the brush tool-free
- Changing of the squeegee tool-free
   Easy access to all components



• Tanks and machine body out of robust polyurethan



#### **HIGH-PERFORMANCE**

- High quality vacuum motor with high vacuum power
- Infinitely traction drive



- Automatic water stop systemAutomatic time delayed brush stop
- Squeegee can be used four-sided





Model		COMET 1-75 B
Order-No.		BS1 075000 B
Working width	[mm]	750/900
Max. speed./working capacity	$[km/h]/[m^2/h]$	5/3750
Fresh water tank	[l]	130
Dirt water tank	[l]	155
Operation voltage	[Volt]	24
Brushmotor power[W]		1000
Under pressure/vacuum motor	[mm H <sup>2</sup> O] / [W]	1734/480
Rptation/brush pressure	[r/min]/[kg]	150/50
Climbing ability	[%]	10-15
Measurement lxwxh	[mm]	1460x810x1380
Weight (without batteries)	[kg]	168
Apply recommendation		





### **COMET 1-87 B**

#### For large areas - simply professional



#### **USER FRIENDLY**

- Clear and easy
- Drain hose for easy drainage of the dirt water
- Electrically lowerable brush- and suction device



#### **MAINTENANCE FRIENDLY**

- Changing of the brush tool-freeChanging of the squeegee tool-free
- Easy access to all components



#### **ROBUST**

• Tanks and machine body out of robust polyurethan



#### **HIGH-PERFORMANCE**

- High quality vacuum motor with high vacuum power
- Infinitely traction drive



- Automatic water stop systemAutomatic time delayed brush stop
- Squeegee can be used four-sided



Model		COMET 1-87 B
Order-No.		BS1 087000 B
Working width	[mm]	870/1110
Max. speed./working capacity	$[km/h]/[m^2/h]$	7/5900
Fresh water tank	[1]	190
Dirt water tank	[l]	210
Operation voltage	[Volt]	36
Brushmotor power	[W]	1500
Under pressure/vacuum motor	[mm H <sup>2</sup> O] / [W]	1800/600
Rotation/brush pressure	[r/min]/[kg]	150/90
Climbing ability	[%]	8-12
Measurement Ixwxh	[mm]	1900x960x1450
Weight (without batteries)	[kg]	345
Apply Recommendation	·	





### **COMET 1-122 B**

For large areas – with highest comfort



#### **USER FRIENDLY**

- Clear and easy
- Drain hose for efficient dirt water drainage
- Electrically lowerable brush- and suction device



#### **MAINTENANCE FRIENDLY**

- Changing of the brush tool-free
- Changing of the squeegee tool-free
- Easy access to all components



#### **ROBUST**

 Tanks and machine body out of robust polyurethan side bumbers



#### **HIGH-PERFORMANCE**

- High quality vacuum motor with high vacuum power
- Infinitely traction drive



- Automatic water stop system
- Automatic time delayed brush stop
- Squeegee can be used four-sided




Model		COMET 1-122 B
Order-No.		BS1 122000 B
Working width	[mm]	1220/1450
Max. speed./working capacity	$[km/h]/[m^2/h]$	7/7500
Fresh water tank	[1]	270
Dirt water tank	[1]	320
Operation voltage	[Volt]	36
Brushmotor power[W]		3x1000
Under pressure/vacuum motor	[mm H <sup>2</sup> O] / [W]	1800/600
Rotation/brush pressure	[r/min]/[kg]	150/170
Climbing ability	[%]	15
Measurement lxwxh	[mm]	2200x1280x1690
Weight (without batteries)	[kg]	585
Apply recommendation		






### Floor Scrubbers Accessories

Description         Order-No.           Nylon brush         BSZ L 500001           BSZ U 750001         Image: BSZ U 700001           BSZ U 750001         Image: BSZ U 870001           BSZ U 850001         Image: BSZ U 850004           BSZ U 750004         Image: BSZ U 750004           BSZ U 750004         Image: BSZ U 750004           BSZ U 750004         Image: BSZ U 750004           BSZ U 850004         Image: BSZ U 850004           Tynex-disc         BSZ U 550005           BSZ U 750005         Image: BSZ U 750005	BS 1075000	BS 1087000 B	BS 1122000 B
BSZ U 550001  BSZ U 700001  BSZ U 870001  BSZ U 850001  Pads dragging disc  BSZ L 500004  BSZ U 750004  BSZ U 750004  BSZ U 870004  BSZ U 870004  BSZ U 850004  BSZ U 850005  BSZ U 700005  BSZ U 700005			_
BSZ U 700001  BSZ U 870001  BSZ U 870001  BSZ U 850001  Pads dragging disc  BSZ L 500004  BSZ U 750004  BSZ U 750004  BSZ U 750004  BSZ U 750004  BSZ U 850004  Tynex-disc  BSZ L 0500005  BSZ U 700005  ©  BSZ U 700005			
BSZ U 750001  BSZ U 870001  BSZ U 850001  Puds dragging disc  BSZ L 500004  BSZ U 750004  BSZ U 750004  BSZ U 750004  BSZ U 750004  BSZ U 850004  Tynex-disc  BSZ L 0500005  BSZ U 700005  Carrier of the property of the prop			
BSZ U 870001  BSZ U 850001  Pads dragging disc  BSZ L 500004  BSZ U 700004  BSZ U 700004  BSZ U 850004  DSZ U 850005  DSZ U 700005			
BSZ U 850001  Pads dragging disc  BSZ L 500004  BSZ U 550004  BSZ U 700004  BSZ U 700004  BSZ U 870004  BSZ U 850004  Tynex-disc  BSZ L 0500005  BSZ U 700005  BSZ U 700005  G	0		
Puds dragging disc  BSZ L 500004  BSZ U 550004  BSZ U 700004  BSZ U 700004  BSZ U 870004  BSZ U 870004  BSZ U 850004  Tynex-disc  BSZ L 0500005  BSZ U 700005  ©  BSZ U 700005		0	
BSZ U 550004  BSZ U 700004  BSZ U 750004  BSZ U 870004  BSZ U 870004  BSZ U 850004  Tynex-disc  BSZ U 0500005  BSZ U 700005  BSZ U 700005  C			0
BSZ U 700004  BSZ U 750004  BSZ U 870004  D D D  Tynex-disc  BSZ L 0500005  BSZ U 550005  BSZ U 700005  D G			
BSZ U 750004 BSZ U 870004  BSZ U 850004  Tynex-disc  BSZ L 0500005 BSZ U 550005 BSZ U 700005  C			
BSZ U 870004  BSZ U 850004  Tynex-disc  BSZ U 550005  BSZ U 700005  Carrier of the control of th			
BSZ U 850004  Tynex-disc  BSZ L 0500005  BSZ U 550005  BSZ U 700005  D  G	2	D	
Tynex-disc BSZ L 0500005 ①  BSZ U 550005 ②  BSZ U 700005 ① ②		2	
BSZ U 550005 ②  BSZ U 700005 ① ②			3
BSZ U 700005 ①			
CHIEF TOMAS			
BSZ U 750005	2	D	
BSZ U 870005 ① ① ①		2	
BSZ U 850005			3





### **STAR 2000 H**

For small and medium areas – fast and efficient



#### **USER FRIENDLY**

- Clear and easy
- Forward and backward sweeping in seperate dirt container
- Simple drainage of the dirt container



#### **MAINTENANCE FRIENDLY**

• Easy access to all components



#### **ROBUST**

- Frame out of metal
- Side brush out of metal



- Large dimensioned dirt container
- Main brush with direct sweeping principle
- Infinitely height adjustable main brush
- Folding upwards side brushes





Model		STAR 2000 H
Order-No.		KSY 02000 H
Working width with/without side brush	[mm]	500/700
Working capacity	[m²/h]	2500
Dirt container	[1]	30
Drive		manual
Measurement Ixwxh	[mm]	760x750x980
Weight (without batteries)	[kg]	35
Apply recommendation		



# STAR 2-55 B/E

#### For medium areas - great in cleaning



#### **USER FRIENDLY**

- Clear and easy
- Simple drainage of the dirt container



#### **MAINTENANCE FRIENDLY**

• Easy access to all components



#### **ROBUST**

• Frame out of metal



#### **HIGH-PERFORMANCE**

- HONDA 4 stroke petrol engine
- Infinitely traction drive



- Large dimensioned dirt containerMain brush with direct sweeping principle
- Washable polyester panel filter





Model		STAR 2 - 55 B	STAR 2 - 55 E
Order-No.		KS2 05500 B	KS2 05500 E
Working width without side brush Working width with side brush	[mm] [mm]	500 680	500 680
Max. speed./working capacity	[m²/h]	4,5/2700	4,5/2700
Dirt container	[l]	36	36
Drive		4 PS four-stroke HONDA	12 V
Filtering area	[m²]	2	2
Filter shaker		manual	manual (optional electric)
Filter material		Polyester-Panelfilter	Polyester-Panelfilter
Measurement lxwxh	[mm]	1340x680x980	1340x680x980
Weight (without batteries)	[kg]	96	92
Apply recommendation			



# STAR 2-85 B/E

For medium sized areas — great in cleaning



#### **USER FRIENDLY**

- Clear and easy
- Simple drainage of the dirt container



#### **MAINTENANCE FRIENDLY**

Easy access to all components



#### **ROBUST**

• Frame out of metal



#### **HIGH-PERFORMANCE**

- HONDA 4 stroke petrol engine
- Infinitely variable traction drive



- Large dimensioned dirt container
- Main brush with direct sweeping principle
- Washable polyester panel filter







Model		STAR 2 - 85 B	STAR 2 - 85 E
Order-No.		KS2 08500 B	KS2 08500 E
Working width without side brush	[mm]	700	700
Working width with side brush	[mm]	850	850
Max. speed./working capacity	[m²/h]	4,5/3800	4,5/3800
Dirt container	[1]	50	50
Drive		4 PS four-stroke HONDA	12 V
Filtering area	[m²]	3,5	3,5
Filter shaker		manual	electric
Filter material		polyesterpanel filter	polyester panel filter
Measurement lxwxh	[mm]	1390x880x980	1390x880x980
Weight (without batteries)	[kg]	120	105
Apply recommendation			



### STAR 1-106 B/E

For medium sized areas - great in cleaning



#### **USER FRIENDLY**

- Clear and easy
- Simple drainage of the dirt container



#### **MAINTENANCE FRIENDLY**

Easy access to all components



#### **ROBUST**

• Frame out of metal




#### HIGH-PERFORMANCE

- HONDA 4 stroke petrol engine
- Infinitely variable traction drive



- Large dimensioned dirt container
- Main brush with direct sweeping principle
- Washable polyester panel filter









# STAR 1-111 B/E

For larger areas – great in cleaning



#### **USER FRIENDLY**

- Clear and easy
- Simple drainage of the dirt container
- Flectrostari



#### **MAINTENANCE FRIENDLY**

• Easy access to all components



#### **ROBUST**

• Frame out of metal



#### **HIGH-PERFORMANCE**

- HONDA 4 stroke petrol engine
- Infinitely variable traction drive



- Large dimensioned dirt container
- Main brush with direct sweeping principle
- Washable polyester panel filter







Optional

Model		STAR 1 - 111 B	STAR 1 - 111 E
Order-No.		KS1 00111 B	KS1 00111 E
Working width without side brush	[mm]	700	700
Working width with side brush	[mm]	1200	1200
Max. speed/working capacity	[m²/h]	6/7500	6/7500
Dirt container	[1]	65	65
Drive		9 PS four- stroke HONDA	24 V
Filtering area	[m²]	6	6
Filter shaker		electric	electric
Filter material		polyester panel filter	polyester panel filter
Climbing ability	[%]	18	14
Measurement Ixwxh	[mm]	1630x910x1290	1630x910x1290
Weight (w/o batteries) [kg]		350	306
Apply recommendation			



Optional with front lighting available.

### STAR 1-115 B/D/G/E

For bigger areas - great in cleaning



#### **USER FRIENDLY**

- Clear and easy
- Simple drainage of the dirt container



#### **MAINTENANCE FRIENDLY**

- Easy access to all components
- Large washable polyester pocket filter
- Full hydraulic operating



#### **ROBUST**

• Frame out of metal



#### **HIGH-PERFORMANCE**

- HONDA 4 stroke engine air cooled
- Lombardini diesel air cooled
- HONDA gas operated air cooled
- Infinitely variable traction drive
- With 2 side brushes standard



- Large dimensioned dirt container
- Main brush with direct sweeping principle
- Lighting system for public traffic on demand available







Model		STAR 1 - 115 B	STAR 1 - 115 D	STAR 1 - 115 G	STAR 1 - 115 E
Order-No.		KS100115B	KS100115D	KS100115G	KS100115E
Working width without side brush	[mm]	780	780	780	780
Working width with side brush	[mm]	1300	1300	1300	1300
Max. speed/working capacity	[m²/h]	7/9100	7/9100	7/9100	6,5/8500
Dirt container	[1]	180	180	180	180
Drive		11 PS four-stroke HONDA	11 PS Lombardini diesel	11 PS HONDA gas operated	36V
Filtering area	[m²]	6,5	6,5	6,5	6,5
Filter shaker		electric	electric	electric	electric
Filter material		polyester pocket filter	polyester pocket filter	polyester pocket filter	polyester pocket filter
Climbing ability	[%]	18	18	18	15
Measurement lxwxh	[mm]	1820x1080x1360	1820x1080x1360	1820x1080x1360	1820x1080x1360
Weight (w/o batteries)	[kg]	570	585	570	530
Apply recommendation					

# STAR 1-120 D/G/E

For bigger areas – great in cleaning



#### **USER FRIENDLY**

- Clear and easy
- Simple drainage of the dirt container



#### **MAINTENANCE FRIENDLY**

- Easy access to all components
- Large washable polyester pocket filter
- Full hydraulic operated



#### **ROBUST**

• Machine frame out of steel



#### **HIGH-PERFORMANCE**

- Lombardini 2 cyl diesel engine water cooled
- Vanguard 3 cyl petrol/gas operated water cooled
- Infinitely variable traction drive
- With 2 side brushes, standard



#### **EFFICIENT**

- Large dimensioned dirt container
- Main brush with direct sweeping principal
- Lighting system for public traffic on demand available

#### Optional design

- 1,55 m working width
- 1,70 m working width










Model		STAR 1 - 120 D	STAR 1 - 120 G	STAR 1 - 120 E
Order-No.		KS1 00120 D	KS1 00120 G	KS1 00120 E
Working width without side brush	[mm]	850	850	850
Working width with side brush	[mm]	1350	1350	1350
Max. speed/working capacity	$[m^2/h]$	9/13000	9/13000	7,5/11000
Dirt container	[1]	205	205	205
Drive		19,7 PS Lombardini diesel	31 PS Vanguard gas operated	36 V
Filtering area	[m²]	6,5	6,5	6,5
Filter shaker		electric	electric	electric
Filter material		polyester pocket filter	polyester pocket filter	polyester pocket filter
Climbing ability	[%]	18	18	15
Measurement lxwxh	[mm]	1940x1180x1430	1940x1180x1430	1940x1180x1430
Weight (w/o batteries) [kg]		730	730	690
Apply recommendation				

# **Sweeping Vacs Accessories**



			KSY 205500 E	KS2 08500 E	KSY 100106 E	KS 100111 E	KS 100115 E	KS 100120 E
Description	Order-No	Description						
Batteries	BSZ 0045 BA	for wet-battery 12 V - 100 Ah	1	1				
	KSZ 0600 BA	vor wet-battery 12 V - 240 Ah			4	4		
	KSZ 0500 BW	for gel-battery 12 V - 100 Ah	1	1				
	KSZ 1000 BW	for gel-battery 6 V - 225 Ah			4	4		
	BSZ 0050 BA	battery-trough 36 V - 320 Ah						1
	BSZ 0055 BA	battery-trough 36 V - 240 Ah					1	
Charging unit	KSZ 2400 LA	for wet-battery 12 V - 18 A	1)	1				
	KSZ 2200 LW	for gel-battery 12 V - 14 A	1	1				
	KSZ 2000 LA	for wet-battery 24 V - 20 A			1	1		
	KSZ 2000 LW	for gel-battery 24 V - 20 A			1	1		
	BSZ 0050 LA	battery trough 36 V - 40 A						1
	BSZ 0055 LA	for all battery trough 36 V					1	
Automatic-filling- syst.	BSZ 0050 AB	battery-trough						1
	BSZ 0055 AB	for all battery trough					1)	



# **Spray extraction Vacs**

### EASY 29/32/80

For small, medium and large areas
– universal and powerful



#### **USER FRIENDLY**

Clear and easy



#### **MAINTENANCE FRIENDLY**

• Easy access to all components



#### **ROBUST**

- Shock proof plastic container EASY 29
- Stainless steel container EASY 32/80



#### **HIGH-PERFORMANCE**

• High value by pass turbine (s)



- Universal applicable, can be used as spray extractor or simply as dry and wet vacuum cleaner
- Universal accessories as standard





Model		EASY 29	EASY 32	EASY 80
Order-No.		TWX 2900	TWX 3200	TWX 8000
Air volume	[l/min]	3000	3000	5800
Under pressure	[mm]	2200	2200	2200
Spray volume	[l/min]	1,8	1,8	3,6
Turbine capicity	[V/Hz/W]	230/50/1080 by pass	230/50/1080 by pass	230/50/2x1080
Noise level	[dB (A)]	73	73	77
Cleaning solution tank	[l]	6,2	9,5	32
Dirt container tank	[1]	29	32	70
Measurement lxwxh	[mm]	380x380x570	380x380x710	570x610x960
Weight	[kg]	9,5	17	35
Apply recommendation				

# **Spray Extraction Vacs Accessories**



### **PROFI YES**

For smaller areas – compact and powerful



#### **USER FRIENDLY**

Clear and easy



#### **MAINTENANCE FRIENDLY**

• Easy access to all components



#### **ROBUST**

• Shock proof pvc container



#### HIGH-PERFORMANCE

• High quality by pass turbine



- Washable polyester filter
- Optional one way filter bags
- Various industrial accessories





Model		PROFI YES
Order-No.		ISX PRO YES
Air volume	[l/min]	4260
Under pressure	[mm]	2200
Turbine capacity	[V/Hz/W]	230/50/1200 by pass
Noise level	[dB (A)]	73
Container capacity	[l]	16
Measurement lxwxh	[mm]	380x360x470
Weight	[kg]	8,5
Apply recommendation		



# **Whisper Vac Dry**

### PROFI 30

For medium sized areas — extremely quiet and powerful



#### **USER FRIENDLY**

• Clear and easy



#### **MAINTENANCE FRIENDLY**

• Easy access to all components



#### **ROBUST**

• Shock proof pvc container



#### **HIGH-PERFORMANCE**


 High quality by pass suction turbine



- Washable polyester filter
- On request one way filter bags
- Various industrial accessories
- Whisper vac extremely low noise







### FLORIDA 2025

For smaller areas – compact and powerful



#### **USER FRIENDLY**

Clear and easy



#### **MAINTENANCE FRIENDLY**

Easy access to all components



#### **ROBUST**

• Stainless steel container



#### **HIGH-PERFORMANCE**


• High quality by pass turbine



- Washable polyester filter
- On request one way filter bags
- Various accessories as standard







### FLORIDA 2050

For medium areas – robust and powerful



#### **USER FRIENDLY**

- Clear and easy
- Tipping and detachable container



#### **MAINTENANCE FRIENDLY**

• Easy access to all components



#### **ROBUST**

• Stainless steel container



#### **HIGH-PERFORMANCE**

• High quality by pass turbine



- Washable polyester filter
  On request one way filter bags
  Various standard industrial accessories



Model		FLORIDA 2050
Order-No.		ISXN 2050
Air volume	[l/min]	3000
Under pressure	[mm]	2400
Turbine capacity	[V/Hz/W]	230/50/1200 by pass
Noise level	[dB (A)]	73
Container capacity	[l]	32
Measurement lxwxh	[mm]	380x380x710
Weight	[kg]	10
Apply recommendation		





### FLORIDA 2050 K

For medium size areas — robust and powerful



#### **USER FRIENDLY**

- Clear and easy
- Tipping and detachable container



#### **MAINTENANCE FRIENDLY**

• Easy access to all components



#### **ROBUST**

- Stainless steel container
- Metal chassis




#### **HIGH-PERFORMANCE**


• High quality by pass turbine



- Washable polyester filter
- On request one way filter bags
- Various standard industrial accessories







# **Industrial Vacuum Cleaner Wet/Dry**

### FLORIDA 2183K

For large size areas - robust and powerful



#### **USER FRIENDLY**

- Clear and easy
- Tipping and detachable container



#### **MAINTENANCE FRIENDLY**

• Easy access to all components



#### **ROBUST**

- Stainless steel container
- Metal chassis



#### **HIGH-PERFORMANCE**


• High quality by pass turbine



- Washable polyester filter
- On request one way filter bags
- Various standard industrial accessories







# **Industrial Vacuum Cleaner Wet/Dry**

### FLORIDA 2182/2183

For large areas — flexibel and powerful



#### **USER FRIENDLY**

- Clear and easy
- Tipping and detachable container



#### **MAINTENANCE FRIENDLY**

• Easy access to all components



#### **ROBUST**

Stainless steel container



#### HIGH-PERFORMANCE

• High quality by pass turbine



- Washable polyester filter
- On request one way filter bags
  Various standard industrial accessories







	FLORIDA 2182	FLORIDA 2183
	ISXN 02182	ISXN 02183
[l/min]	5800	8500
[mm]	2200	2200
[V/Hz/W]	230/50/2x1200 by pass	230/50/3x1200 by pass
[dB (A)]	77	78
[1]	78	78
[mm]	570X610X960	570x610x960
[kg]	26	28
	[mm] [V/Hz/W] [dB (A)] [l] [mm]	ISXN 02182 [L/min]

# **Industrial Vac Wet/Dry**

# MIAMI 2282/2283

For large areas — compact and powerful



#### **USER FRIENDLY**

- Clear and easy
- Drainage hose



#### **MAINTENANCE FRIENDLY**

• Easy access to all components



#### **ROBUST**

• Shock proof pvc-container



#### **HIGH-PERFORMANCE**

• High quality by pass turbine



- Washable polyester filter
  On request one way filter bags
  Various standard industrial accessories







Model		MIAMI 2282	MIAMI 2283
Order-No.		ISXW P 2282	ISXW P 2283
Air volume	[l/min]	5800	8500
Under pressure	[mm]	2200	2200
Turbine capacity	[V/Hz/W]	230/50/2x1200 by pass	230/50/3x1200 by pass
Noise level	[dB (A)]	77	78
Container capacity	[l]	78	78
Measurement lxwxh	[mm]	570X680X960	570x680x960
Weight	[kg]	22	24
Apply recommendation	-		



# **Industrial Cyclon Vac**

### PROFI 40

For smaller areas – compact and poweful



#### **USER FRIENDLY**

Clear and easy



#### **MAINTENANCE FRIENDLY**

• Easy access to all components



#### **ROBUST**

Stainless steel body



#### **HIGH-PERFORMANCE**

• High quality by pass turbine



- Automatic startingCycloncartridge filter
- Hepa fine dust filter
- Industrial accessories







# **Industrial Cyclon Vac**

### FLORIDA 2183 C

For large areas — compact and powerful



#### **USER FRIENDLY**

- Clear and easy
- Tipping and detachable container



#### **MAINTENANCE FRIENDLY**

• Easy access to all components container can be taken off



#### ROBUST

- Stainless steel container
- Steel chassis



#### **HIGH-PERFORMANCE**

• High quality by pass turbines



- Washable permanent polyester filterOn request one way filter bags
- Various standard industrial accessories





Model		FLORIDA 2183C
Order-No.		ISXN C 2183
Air volume	[l/min]	8500
Under pressure	[mm]	2200
Turbine capacity	[V/Hz/W]	230/50/3x1200 by pass
Noise level	[dB (A)]	78
Container capacity	[1]	78
Measurement lxwxh	[mm]	570x610x1450
Weight	[kg]	34
Apply recommendation		

# **Pump Vacuum Cleaner**

### STREAM 22

For large areas – compact and powerful



#### **USER FRIENDLY**

- Clear and easy
- Tipping and detachable container



#### **MAINTENANCE FRIENDLY**

• Easy access to all components



#### **ROBUST**

- Stainless steel container
- Stainless steel chassis




#### **HIGH-PERFORMANCE**

• High quality suction turbines



- Discharging pump with c-connection
- Simultaneously suction and discharging
- Washable cartridge filter
- Industrial accessories







# **Pump Vacuum Cleaner**

### **STREAM ONE 82 WP**

For large areas — professional and powerful



#### **USER FRIENDLY**

- Clear and light
- Parking brake



#### **MAINTENANCE FRIENDLY**

• Easy access to all components



#### **ROBUST**

- Stainless steel container
- Stainless steel chassis



#### HIGH-PERFORMANCE

• High quality suction turbines



- Automatic negative pressure balance
- Discharging pump with automatic stop
- Simultaneously suction and discharging
- Washable nylon filter
- Universal accessories



Model		Stream ONE 82 WP
Order-No.		ISY ONE 82 WP
Air volume	[l/min]	5800
Under pressure	[mm]	2100
Discharging pump	[l/m]	300
Turbine capacity	[V/Hz/W]	230/50/2x1250 by pass
Noise level	[dB (A)]	76
Container capacity	[1]	85
Connection Ø	[mm]	70
Measurement lxwxh	[mm]	550x600x1260
Weight	[kg]	34
Apply recommendation		





# Oil and Metal Parts Separator

### TECNOIL 2182

For medium size application – professionel and powerful



#### **USER FRIENDLY**

- Clear and easy
- Drain hose



#### **MAINTENANCE FRIENDLY**

• Easy access to all components



#### ROBUST

- Stainless steel container
- Stainless steel chassis




#### **HIGH-PERFORMANCE**

High quality by pass turbines



- Special oil filter
- Removable chipping separator
- Industrial accessories








## Wet/Dry Vacuum Cleaners · Special Vacuum Cleaners · Accessories

			ISX PRO YES	ISXPR 0030	ISXPR 0061	ISXN 02050 / WE 2150	ISXN 02183 / NP 2282 / 83	ISXN K2183 / 2383 ISYPS 2200				ISX PRO YES	ISXPR 0030	ISXPR 0061	ISXN 02025 / WE 2125	ISXN 02050 / WE 2150	ISXN 02183 / NP 2282 / 83	ISXN K2183 / 2383	ISYPS 2200
Description	Order-No	Description							Description	Order-No	Description								
Carpet floor nozzle	ISZ 00 36 81	changeable	•	•	0				Pipe deaning nozzle	ISZ 00 36 28	with brush 200 mm Ø	0	0		0	0	0	0	0
										ISZ 00 36 27	with brush 100 mm Ø	0	0		0	0	0	0	0
Upholstery nozzle	ISZ 00 36 85		•	•	0				PUC flat nozzle	ISZ 00 36 22		0	0		0	0	0	0	0
Joint nozzle	ISZ 00 36 02 ISZ 00 36 06	250 mm 350 mm	•		0														
	ISZ 00 40 02	350 IIIII	O	0		•		•	Universal brush	ISZ 00 36 04		0	0		0	0	0	0	0
- II I I	ISZ 00 60 13	350 mm					0	0											
Round brush nozzle	ISZ 00 36 87		•	•					Radiator nozzle	ISZ 00 36 03		0	0	,	0	0	0	0	0
Bended hand pipe  Bended hand pipe	ISZ 00 36 32	with air circulation		•					Brush currycomb	ISZ 00 36 26		0	0	•	0	0	0	O	0
									Pencil currycomb	ISZ 00 36 25		0	0		0	0	0	0	0
Constitution		new version																	
Extension pipe	ISZ 00 36 30	metal inside 500 mm	•	•		•			U										
1111	ISZ 00 40 85	new version						•	Hair currycomb	ISZ 00 36 24		0	0		0	0	0	0	0
Floor nozzle	ISZ 00 36 10	with rubber lips 350 mm	•		•	•													
									Oval brush	ISZ 00 36 14		0	0	•	0				
Flat scrape nozzle	ISZ 00 36 01	metal 370 mm	0	0	C	0 0	0	0 0											
									Floor nozzle metal	ISZ 00 36 08	metal 350 mm	0	0		0				
Rubber cone nozzle	ISZ 00 36 15	rubber black	0	0	C	0	0	0 0		4_									


Standard accessories

O Special accessories

## **Wet/Dry Vacuum Cleaners · Accessories**



## **Wet/Dry Vacuum Cleaners · Accessories**



### **ONE 22**

For big applications professional and powerful



### **USER FRIENDLY**

- Clear and easy
- Manual filter cleaning



### **MAINTENANCE FRIENDLY**

• Easy access to all components



### **ROBUST**

- Metal container
- Metal chassis




### **HIGH-PERFORMANCE**

High quality by pass turbines



- Large filtering areaWashable polyester pocket filter under pressure indicator to check the filter blockage
- Multifunctional industrial accessories







### ONE 62 EP

### For big applications professional and powerful



### **USER FRIENDLY**

- Clear and easy
- Manually operated filter cleaning



### **MAINTENANCE FRIENDLY**

• Easy access to all components



### **ROBUST**

- Metal container
- Metal chassis




### **HIGH-PERFORMANCE**

High quality by pass turbines



- Large filtering areaWashable polyester pocket filter under pressure indicator to check the filter blockage
- Multifunctional industrial accessories







## ECO A63 (M)

For big applications - professional and powerful



### **USER FRIENDLY**

Clear and easy



### **MAINTENANCE FRIENDLY**

• Easy access to all components



### **ROBUST**

- Metal container
- Metal chassis



### **HIGH-PERFORMANCE**

• High quality direct drive with side channel turbine



- Large filtering area
- Washable polyester pocket filter
- Under pressure indicator to check the filter blockage
- Pressure limit valve
- Multifunctional industrial accessories



- Until 13 kW
- Filterclass M/H (Kat. BIA)
- In ATEX-protection-class



		البينان والسارات	
Model		ECO A63 M	ECO A63
Order-No.		ISY ECO A63 M	ISY ECO A63
Air volume	[l/min]	5200	5200
Under pressure	[mm]	2000	2000
Motor power	[V/Hz/W]	230/50/1x2200	3~400/50/1x2200
Filter area	[cm/qm]	19000	19000
Filter class		M (Kat. BIA)	M (Kat. BIA)
Noise level	[dB (A)]	75	75
Container capacity	[l]	65	65
Connection Ø	[mm]	70	70
Measurement lxwxh	[mm]	500x600x1350	500x600x1350
Weight	[kg]	77	77
Apply recommendation			





### **ONE 63 ES**

For larger applications professional and powerful



### **USERF RIENDLY**

- Clear and easy
- Automatic controlled filter cleaning
- LCD-display



### MAINTENANCE FRIENDLY

• Easy access to all components



### **ROBUST**

- Metal container
- Metal chassis



### **HIGH-PERFORMANCE**

• High quality by pass turbines



- Large filtering areaWashable polyester filter
- Multifunctional industrial accessories
- Basket for accessories



Model		ONE 63 ES	-
		****	
Order-No.		ISY ONE 63 ES	
Air volume	[l/min]	8500	
Under pressure	[mm]	2100	
Vac motor power	[V/Hz/W]	230/50/3x1250 by pass	
Filter area	[cm/qm]	8100	
Filter class		M (Kat. BIA)	
Noise level	[dB (A)]	74	
Container capacity	[1]	65	
Connection Ø	[mm]	70	
Measurement lxwxh	[mm]	700x650x1290	
Weight	[kg]	70	
Apply recommendation			





## Oil and Metal Parts Vac

### **TECNOIL ONE 72**

For big applications — professional and powerful



### **USERF RIENDLY**

- Clear and easy
- Discharging pump



### **MAINTENANCE FRIENDLY**

• Easy access to all components



### **ROBUST**

- Stainless steel container
- Metal chassis



### **HIGH-PERFORMANCE**

• High quality by pass turbines



- Special oil filter
- Detachable swarf separator
- Multifunctional industrial accessories



Model		TECNOIL ONE 72
Order-No.		ISY ONE 72
Air Volume	[l/min]	5700
Under Pressure	[mm]	2100
Turbine capacity	[V/Hz/W]	230/50/2x1250 by pass
Noise level	[dB (A)]	77
Container capacity	[l]	70/20
Connection Ø	[mm]	70
Measurement LxBxH	[mm]	700x650x1420
Weight	[kg]	62
Apply recommendatio	n	





## **Wet/Dry Vacuum Cleaners · Accessories**

Order-No.

OK.AC.001 Accessory set for industry

9-pieces, diameter 50 mm Reduction Ø 70/50 3 m vacuum hose Sleeve accessory side Hose connector S-hand pipe Floor nozzle 500 mm Sloped pipe nozzle Round brush nozzle

Description

Joint nozzle



OK.AC.005 Accessory set for machine cleaning

7-pieces, diameter 50 mm Reduction Ø 70/50 3 m vacuum hose Sleeve accessory side Bended hand pipe Sloped pipe nozzle Joint brush nozzle Connecting sleeve



OK.AC.003 Accessory set for TECNOIL vac

6-pieces diameter 50 mm
Reduction Ø 70/50
3 m vacuum hose oil resistant with sleeves
Sloped pipe nozzle
Joint nozzle
Connecting sleeve



OK.AC.001.2GD Accessory set for industrial vac according to



9-pieces, diameter 50 mm
Reduction piece in stainless steel Ø 70/50
3 m vaccuum hose antistatic
S-hand pipe, stainless steel
Floor nozzle in stainless steel 500 mm
Bended hand pipe
Sloped pipe nozzle antistatic
Round brush nozzle antistatic
Joint nozzle in stainless steel
Connection sleeve antistatic
Connection sleeve in stainless steel



● Standard accessory ○ Special accessory 45

## **Rotary Disc Machine**

# ORION 33/43/43 HS0

For small, medium and large areas – professional and powerful



### **USER FRIENDLY**

- Clear and easy
- Easy transport through large wheels



### **MAINTENANCE FRIENDLY**

• Easy access to all components



### **ROBUST**

• Machine body out of cast iron



- Universal applicable
- Many industrial accessories on request optional available









Model		ORION 33	ORION 33	ORION 43	ORION 43	ORION 43 HSO
Order-No.		ESX 33010	ESX 33015	ESX 43010	ESX 43015	ESX 43 HSO
Rotation	[r/min]	180	180	160	160	500
Motor capacity	[V/Hz/W]	230/50/450	230/50/450	230/50/1000	230/50/1000	230/50/1200
Measurement Ixwx	h [mm]	420x330x1200	420x330x1200	530x430x1200	530x430x1200	530x430x1200
Weight	[kg]	20	20	43	43	43
Apply recommendo	ıtion					

# Single Disc Machines Accessories

			ESX 33 010/015	EX 43 H50	EX43010/015	ESX 15 000
Description	Order-No.	Description				
Pad holder	ESZ 33 23 1		0			
	ESZ 43 24 0				0	
	ESZ 15 12 0 ESX 43 25 8			_		0
	ESX 43 23 8			0		
Nylon disc	ESZ 33 23 2		0			
A	ESZ 43 24 1				0	
0	ESZ 44 24 1					
Polishing disc	ESZ 33 23 3		0			
0	ESZ 43 24 2				0	
Shampooing disc	ESZ 33 23 4		0			
0	ESZ 43 24 3				0	
Spring-steel-disc	ESZ 33 23 6		0			
0	ESZ 43 24 5				0	
Tynex disc	ESZ 33 23 7		0			
17	ESZ 43 24 6				0	
	ESZ 44 24 2 ESZ 54 26 2					
Steel scratch disc	ESZ 43 24 7				0	
Carborundum grinding disc	ESZ 43 24 9				0	
Abrasive paper disc	ESZ 43 24 8				0	
Abrassive paper disc	ESZ 43 41 2	grain 12			0	
	ESZ 43 41 3 ESZ 43 41 4	grain 16 grain 24			0	
•	ESZ 43 41 5	grain 36			0	
	ESZ 43 41 6	grain 40			0	
	ESZ 43 42 0	grain 60			0	
	ESZ 43 42 5 ESZ 43 42 9	grain 80 grain 120			0	
	ESZ 43 43 0	grain 150			0	

			EX 33 010/015	ESX 43 HS0	EX 43010/015	ESX 15 000
Description	Order-No.	Description				
	DAD 400 WE 120					
Superpad	PAD 600 WE 130 PAD 600 BE 130	white beige	0			
4	PAD 600 BE 130	red	0			
	PAD 600 GR 130	green	0			
( T)	PAD 600 BL 130	blue	0			
3 = 1	PAD 600 BR 130	brown	0			
	PAD 600 SC 130	black	0			
	PAD 600 WE 170	white		0	0	
	PAD 600 BE 170	beige		0	0	
	PAD 600 RO 170	red			0	
	PAD 600 GR 170	green			0	
	PAD 600 BL 170	blue			0	
	PAD 600 BR 170	brown			0	
	PAD 600 SC 170	black			0	
-	PAD 600 WE 210	white				
	PAD 600 BE 210	beige				
	PAD 600 RO 210	red				
	PAD 600 GR 210	green				
	PAD 600 BL 210	blue				
	PAD 600 BR 210 PAD 600 SC 210	black				
	PAD 600 SC 210	white				0
	PAD 600 BE 180	beige beige				0
Microfibre poly pad	PAD A02 02 170	beige			0	
Poly pad	PAD A02 00 170	blue-white for			0	
		structure floor				
Pelt pad	PAD 606 GW 170	green-white for carpet-clean			0	
C.	PAD 606 BW 171	brown-white for carpet-clean			0	
Chemical tank	ESZ 00 23 0		0		0	
Suction device	ESZ 00 25 7	for ORION 43			0	

### WEIDNER REINIGUNGSSYSTEME GMBH

Schmollerstraße 33 · D-74523 Schwäbisch Hall

Telefon: (+49) 07 91/9 50 12-0 Fax: (+49) 07 91/5 47 42 E-Mail: info@weidner-cleaning.com

www.weidner-cleaning.com

